




Cutting Unit Reel & Bedknife







Cutting Unit Reel & Bedknife

| | R&R Part No. | OEM Part No. | Description | Qty Req | Orde Quantity | | | |
|-------|---|--|---|--------------------------------------|------------------|--|--|--|
| | Reels, Lifetime Gu | | · | <u> </u> | | | | |
| 1 | RTCA19350 | TCA19350 | Reel - 7 Blade | 1 | | | | |
| | steel, heat-treated precision cylindric performance. Advo our lifetime guara | to perfectly complement both al grinding on bearing surface anced computer balancing en | crafted from premium high carbon R&R and OEM bedknives. Each ree es, followed by relief grinding for op sures extended reel and bearing life als and craftsmanship under norma precision you can trust.: | l undergoes timal e. Backed by | | | | |
| 1 | R130239 | | Reel - 9 Blade with Interr Splines | nal 1 | | | | |
| | Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.: | | | | | | | |
| 1 | RTCA19351 | TCA19351 | Reel - 11 Blade | 1 | | | | |
| | steel, heat-treated precision cylindric performance. Advo our lifetime guara | to perfectly complement both al grinding on bearing surface anced computer balancing en | crafted from premium high carbon R&R and OEM bedknives. Each ree s, followed by relief grinding for op sures extended reel and bearing life als and craftsmanship under norm precision you can trust.: | l undergoes timal e. Backed by | | | | |
| 1 | R130250 | TCA23621 | Reel - 14 Blade | 1 | | | | |
| 000 | steel, heat-treated precision cylindric performance. Advo our lifetime guard Reels deliver unmo | to perfectly complement both al grinding on bearing surface anced computer balancing en ntee against defects in materi atched durability and cutting p | crafted from premium high carbon R&R and OEM bedknives. Each ree es, followed by relief grinding for op sures extended reel and bearing life als and craftsmanship under norma precision you can trust.: | l undergoes timal e. Backed by | | | | |
| :&R E | Bedknives, Lifetim | | | | | | | |
| 2 | RET17767 | ET17767, UC23562 | Bedknife - High Cut 5/16 | 1 | | | | |





Cutting Unit Reel & Bedknife

| Item R&R | OEM | | Qty | Order |
|---------------------|----------|-------------|-----|----------|
| No Part No. | Part No. | Description | Req | Quantity |

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

2 **RET17532** ET11066, Bedknife - Fairway .189 Min 1

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

ET14402, ET17533, 2 **RET17533** ET17767, Bedknife - 22in Standard- .126 MT4869, Min. HOC MT7351, UC18873

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

2 **RET17534** ET17534 Bedknife - 22in Tounament-.098 Min HOC

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

ET17489,
MT7351, Bedknife - 22in Lo-Cut .079
UC19154, Min. HOC
UC28163





Cutting Unit Reel & Bedknife

Item R&ROEMQtyOrderNo Part No.Part No.DescriptionReqQuantity

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

R&R Razor Tool Steel Bedknives, Lifetime Guaranteed

2 **R130130**

Bedknife - Razor Tool Steel - 22 High Cut

1

Detail Description: R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:

2 **R130115**

Bedknife - Razor Tool Steel - 22 Micro Cut

1

Detail Description: R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:

2 **R130116**

MT4846, UC18877 Bedknife - Razor Tool Steel - 22 Tournament Cut

1

Detail Description: R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:

2 **RTCU36165**

TCU36165

Bed Knife - Razor Tool Steel 22 - Low Cut

Service Tools





Cutting Unit Reel & Bedknife

| Item R&R | OEM | Description | Qty | Order |
|---------------------|----------|----------------------------|-----|----------|
| No Part No. | Part No. | | Req | Quantity |
| 3 R101278T | | Bedknife Screw Driver Tool | 0 | |

Tech Note: Easily install and remove bed knife screws with the help of a ratchet. Tool manufactured with hardened alloy steel.:

Detail Description: Easily install and remove bed knife screws with the help of a ratchet. Tool manufactured with hardened alloy steel.:

| Other Parts Available | | | | | |
|-----------------------|-----------------------------|----------------------------|--------------------------------------|---|--|
| 10 | RTCU26729 | TCU26729 | Tube | 1 | |
| 11 | RUC13425 | UC13425 | Rod - Hardened | 1 | |
| 12 | R254-79 | JD8226 | Cup - Bearing | 2 | |
| | Detail Description: Use R25 | 4-79M installation mandrel | to properly install race.: | | |
| 13 | R254-78 | JD8188 | Tapered Bearing Cone | 2 | |
| 14 | RET14566 | ET14566 | Seal - Reel | 2 | |
| 15 | RTCU23880 | TCU23880, TCU28964 | Compression Spring - Reel Bearing | 1 | |
| 16 | R40M7226 | 40M1862, 40M7226 | Ring - Retaining | 2 | |
| 18 | RMT74 | MT74 | Bushing - Roller Bkt | 2 | |
| 19 | RTCU28635 | TCU24555, TCU28635 | Eccentric | 2 | |
| 20 | RTCU25223 | TCU25223, TCU30798 | Spherical Rod End | 2 | |
| 21 | RTCU24954 | TCU24954 | Compression Spring | 2 | |
| 22 | RTCU25394 | TCU25394, TCU27453 | Base | 2 | |
| 23 | RTCU25398 | TCU25398 | Compression Spring | 1 | |
| 24 | RTCU24334 | TCU24334 | Retainer | 2 | |





Cutting Unit Reel & Bedknife

| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|----|-----------------|------------------------------|--|------------|-------------------|
| 28 | RMT3016 | MT3016 | Bolt - Bed Bar | 2 | |
| 29 | RN168012 | N168012 | Washer - Spring | 4 | |
| 30 | RH137328 | H137328 | Locknut | 5 | |
| 31 | R14M7152 | 14M7152 | Nut - 10mm x 1.5 Jam | 2 | |
| 32 | RET16679 | ET16679 | Washer - Spring | 8 | |
| 33 | R14M7517 | 14M7517 | Locknut - 10mm x 1.5 ESNA | 2 | |
| 34 | R03M7191 | 03M7191 | Bolt - Carriage M10 x 25 | 4 | |
| 35 | R03M7194 | 03M7194 | Bolt | 2 | |
| 37 | R170714 | E14814 | Fitting - Pressure Relief | 2 | |
| 38 | R302-5 | JD7797, JD7842, JD7844 | Fitting - Grease | 2 | |
| 39 | R14M7151 | 14M7151 | Nut - Jam Roller Adj | 2 | |
| 40 | R101278 | 21M7194 | Screw - Bedknife | 13 | |
| 41 | RMT6517 | MT6517 | Label - Warning | 1 | |
| 42 | RAUC13891 | AUC13891, TCA18291 | Frame | 1 | |
| 43 | R19M7168 | 19M7168 | Bolt - M10-1.5 x 30 mm Hex Head Class 8.8 | 2 | |
| 44 | RR30587 | 30587, R30587 | Pin - Dowell 1/4 Dia. x .75 | 4 | |
| 45 | RUC27760 | UC27760 | Wear Plate | 1 | |
| 46 | RUC27761 | UC27761 | Wear Plate | 1 | |
| 47 | RUC11904 | UC11904 | Bracket | 2 | |
| | | | | | |





Cutting Unit Reel & Bedknife

| | R&R Part No. | OEM Part No. | Description | | Order Quantity |
|----|-----------------|-----------------------|--|----|-------------------|
| 48 | R03M7186 | 03M7186 | Bolt - Carriage 8-1.25 x 30mm | 2 | |
| 49 | R14M7396 | 14M7396 | Locknut - Flanged Nyloc | 2 | |
| 50 | RUC18211 | TCU24461, UC18211 | Bracket - LH | 1 | |
| 51 | RUC16109 | TCU24461, UC16109 | Bracket - RH | 1 | |
| 52 | R33114-016 | 19M7162 | Bolt - Hx HD 8mm x 1.25 x 15 | 2 | |
| 53 | R14M7465 | 14M7465 | Lock Nut - M10-1.50 Fl | 2 | |
| 54 | RR316945 | R316945 | Bushing | 2 | |
| 55 | RTCU40491 | TCU24683, TCU40491 | Worm Gear | 2 | |
| 56 | RTCU26458 | TCU26458 | Worm Gear | 2 | |
| 57 | RUC16137 | TCU24955, UC16137 | Adjuster | 2 | |
| 58 | RUC16108 | TCU24460, UC16108 | Bracket | 2 | |
| 59 | R19M7866 | 19M7866 | Bolt - Flanged Hex M8-1.25 x 20 | 2 | |
| 60 | RAUC13512 | AUC13512, TCA18706 | Adjuster | 2 | |
| 61 | RM148268 | M148268 | Lock Nut | 2 | |
| 62 | RUC16102 | TCU24949, UC16102 | Сар | 2 | |
| 63 | RMT2624 | MT2624 | Knife - Greens Conditioner | 38 | |
| 64 | RET14707 | ET14707 | Verti-Cut Blade025 x 2.375 | 64 | |
| 64 | RET14707C | | Verti-Cut Blade025 x 2.375 Carbide Tipped | 64 | |





Cutting Unit Reel & Bedknife

| ltem R&R No Part No. | OEM Part No. | Description | Qty Order Req Quantity |
|---|-----------------------|-------------|---|
| 65 RTCU35637 | TCU24427, TCU35637 | Panel - LH | 1 |
| 66 RTCU35638 | TCU24426, TCU35638 | Panel - RH | 1 |
| 67 RUC22218 | UC22218 | Half Clamp | 2 |