


Replaces Jacobsen LF-4675 Parts



5" Cutting Unit Rear Rollers





Replaces Jacobsen LF-4675 Parts

Description



Order

Quantity

Qty

Req

5" Cutting Unit Rear Rollers OEM

Part No.

110	Part No.	rait NO.	Description	Req	Quantity
R&R	Rear Rollers				
1	R100105	100105, 1002446, 1003728	Roller - Smooth Heavy Duty Tubular Steel	1	
	Detail Description bearings for exten				
2	R68597	68597	Roller - Smooth Solid Steel	1	
	Detail Description pump" style beari	er-			
3	R101335		Roller - Smooth UHMW Polyethylene	1	
	Detail Description: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.:				
4	R1013662		Roller - Smooth UHMW Polyethylene	1	
	Detail Description: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.:				
5	R101120	101120, 68580	Roller - Grooved Machined Solid Steel	1	
	Detail Description pump" style beari	er-			
6	R101337		Roller - Grooved UHMW Polyethylene	1	
	Detail Description solid stainless stee smooth UHMW m	d a 1"			
Over	haul Kits				
20	R101395	100139, 101395	Overhaul Kit - UHMW Roller	0	

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



38 **R302-5**

Replaces Jacobsen LF-4675 Parts



5" Cutting Unit

Rear Rollers OEM Qty Order No Part No. Description Part No. Req Quantity Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, & R150334A Bronze Thrust Washers: 21 **R101399** Overhaul Kit - UHMW 2 Pc Roller Detail Description: Fits all R&R 2-1/2" - 3-1/2" Dia. Black UHMW Plastic Rollers that do not use ball bearings.. Includes 2 ea.: R1503230 Star Washers, R1503470 Seals, R150333 Thrust Washers, R3296-15 Locknuts, R1503471 Bronze Thrust Washers: 22 **R100136** Overhaul Kit - Roller 0 Detail Description: Includes 2 ea.: R150674 Wear Sleeves, R253-152 Seals, R253-117 Seals, R254-78 Bearings, R254-79 Bearing Cups, R3296-15 Locknuts & R302-5 Grease Fittings: Other Parts Available 30 **R100106** 100106 Shaft - Fits HD Rear Roller 1 R61-0380 Roller End - Cap Solid 2 3001656 Seal - Inner Roller 2 32 **R253-152** 254-79, 33 **R254-79** 2 Cup - Bearing 4121175 Detail Description: Use R254-79M installation mandrel to properly install race.: 254-78, 385174. Tapered Bearing Cone 2 34 **R254-78** 4121174, 4135152 253-117, Seal - Outer Triple Lip 2 35 **R253-117** 3004882 Sleeve - Wear 3/4 Plated 2 36 **R150674** 150674 3296-15, 37 **R3296-15** Locknut - 3/4-16 Nylon Jam 2 367029,

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.

Fitting - Grease

2

444742

302-5, 471214,

471223, 471226



Replaces Jacobsen LF-4675 Parts



5" Cutting Unit Rear Rollers OEM

	R&R Part No.	Rear Rollers OEM Part No.	Description	Qty Req	Order Quantity
39	R101482	101482	Bearing - Rear Machined Roller	2	- Quality
40	R150347T		Seal - Nonstick Lip	2	
41	R150334A		Washer - Thrust SAE660 Bronze	2	
42	R150333		Washer - Flat Keyed Outer SS	2	
43	R1503470		Seal - Inner Wiper	2	
44	R1503471		Washer - Thrust SAE660 Bronze	2	
45	R1503230		Washer - Thrust Outer Keyed	2	
46	R500534	500534, R500534	Bearing - with Cup	2	
	Detail Desci	ription: Kit includes: 1 ea R254-78- B	earing Cone & R254-79 Bearing Cone:		
54	R338735	338735	Scraper - Rear Roller	1	
55	R400186	400186	Bolt - Hex HD 5/16-18 x 7/8	2	
56	R453009	3256-23, 452004, 452006, 452008, 453009	Washer - Flat 5/16 SAE	2	
56	R310266	310266, 452004, 452006, 452008	Washer - Flat 5/16 USS	2	
57	R446136	446134, 446136	Washer - Lock 5/16 Zinc	2	
58	R443106	443106	Nut - 5/16-18 Y/Zinc Plated	2	