




Cutting Unit - Serial up to 030000 Rollers







Cutting Unit - Serial up to 030000 Rollers

| 110 | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity | |
|------------------|---|---|---|-----------------------------|-------------------|--|
| R&R 2 | 26" Front Rollers | | | · | | |
| 1 | R500509 | AMT2968, BM25318 | Roller - Grooved Repairable Steel - 26 | 0 | | |
| | | | n shaft and greasable ball bearings. This rolle cing the series of washers and spacers.: | er can | | |
| 2 | R1203500 | | Roller - Grooved UHMW Polyethylene | 0 | | |
| | Detail Description: Machined from solid UHMW, this low maintenance roller rotates around a 1" solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.: | | | | | |
| 3 | R1203830 | | Roller - Fusion Grooved UHMW Polyethylene - 26 in | 0 | | |
| | heavy-duty internal | bearing system. Machined | best features of our UHMW plastic rollers wi I from solid UHMW plastic that prevents build | d-up | | |
| ?&R 2 | • | nas a patented deep groo | ove design and turns on precision stainless bo | all | | |
| R&R 2 | bearings and double | , , , , | Roller - Fusion Smooth UHMW Polyethylene - 26 in | 0 | | |
| | bearings and double 26" Rear Rollers R1203835 Detail Description: F heavy-duty internal | e seals for added life: usion Rollers combine the bearing system. Machined | Roller - Fusion Smooth UHMW | 0 th a d-up | | |
| | bearings and double 26" Rear Rollers R1203835 Detail Description: F heavy-duty internal | e seals for added life: usion Rollers combine the bearing system. Machined | Roller - Fusion Smooth UHMW Polyethylene - 26 in best features of our UHMW plastic rollers wi I from solid UHMW plastic that prevents build | 0 th a d-up | | |
| 4 | bearings and double R6" Rear Rollers R1203835 Detail Description: For heavy-duty internal of debris. This roller RAET11265 | usion Rollers combine the bearing system. Machined turns on precision stainle. AMT2969 | Roller - Fusion Smooth UHMW Polyethylene - 26 in best features of our UHMW plastic rollers wi I from solid UHMW plastic that prevents build ss ball bearings and double seals for added I Roller - Smooth Heavy Duty | 0 th a d-up life.: | | |
| 4 | Rear Rollers R1203835 Detail Description: F heavy-duty internal of debris. This roller RAET11265 Detail Description: C | usion Rollers combine the bearing system. Machined turns on precision stainle. AMT2969 | Roller - Fusion Smooth UHMW Polyethylene - 26 in best features of our UHMW plastic rollers will from solid UHMW plastic that prevents build ss ball bearings and double seals for added l Roller - Smooth Heavy Duty Tubular Steel - 26 | 0 th a d-up life.: | | |





Cutting Unit - Serial up to 030000 Rollers

| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity | | |
|-------|--|-------------------------|---|------------|-------------------|--|--|
| 7 | R500514 | AMT2977, BM25319 | Roller - Grooved Repairable Steel - 30 | 0 | | | |
| | Detail Description: Constructed with a through shaft and greasable ball bearings. This roller can be repaired by unscrewing the ends and replacing the series of washers and spacers.: | | | | | | |
| 8 | R1203510 | | Roller - Grooved UHMW Polyethylene | 0 | | | |
| | | nd requires no bearings | is low maintenance roller rotates around or grease. Patented groove design and is.: | a 1" | | | |
| 9 | R1203840 | | Roller - Fusion Grooved UHMW Polyethylene - 30 in | 0 | | | |
| | Detail Description: Fusion Rollers combine the best features of our UHMW plastic rollers with a heavy-duty internal bearing system. Machined from solid UHMW plastic that prevents build-up of debris. This roller has a patented deep groove design and turns on precision stainless ball bearings and double seals for added life: | | | | | | |
| R&R 3 | 80" Rear Rollers | | | | | | |
| 10 | R1203845 | | Roller - Fusion Smooth UHMW Polyethylene - 30 in | 0 | | | |
| | Detail Description: Fusion Rollers combine the best features of our UHMW plastic rollers with a heavy-duty internal bearing system. Machined from solid UHMW plastic that prevents build-up of debris. This roller turns on precision stainless ball bearings and double seals for added life.: | | | | | | |
| 11 | RAMT1056 | AMT2976 | Roller - Smooth Heavy Duty Tubular Steel - 30 | 0 | | | |
| | Detail Description: Constructed with a through shaft, this heavy duty roller uses tapered bearings for extended life.: | | | | | | |
| 12 | R1203530 | | Roller - Smooth UHMW Polyethylene | 0 | | | |
| | Detail Description: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.: | | | | | | |
| Overl | naul Kits | | | | | | |
| 20 | RAET10632 | AET10632 | Overhaul Kit - Roller | 1 | | | |





Cutting Unit - Serial up to 030000 Rollers

| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity | | | |
|------|--|---|---------------------------------|------------|-------------------|--|--|--|
| | Detail Description: Includes 4 ea: RET15755 Seal; 2 ea: R237-54 O-Ring, R253-122 Seal, R254-78 Bearing, R254-79 Cup, R3296-15 Locknut, R471219 Grease Zerk, RET15726 Sleeve, RET15756 Seal: | | | | | | | |
| 21 | R101399 | | Overhaul Kit - UHMW 2 Pc Roller | 1 | | | | |
| | Detail Description: Fits all R&R 2-1/2" - 3-1/2" Dia. Black UHMW Plastic Rollers that do not use ball bearings Includes 2 ea.: R1503230 Star Washers, R1503470 Seals, R150333 Thrust Washers, R3296-15 Locknuts, R1503471 Bronze Thrust Washers: | | | | | | | |
| 22 | R114-5430 | | Overhaul Kit - Roller | 1 | | | | |
| | Detail Description: Includes 4 ea.: R112-7494 Seals; 2 ea.: R302-5 Grease Zerks, R114-3717 Seals, R112-5290 Bearings & R114-3745 Locknuts: | | | | | | | |
| Othe | r Parts Available | | | | | | | |
| 30 | RMT74 | MT74 | Bushing - Roller Bkt | 2 | | | | |
| 31 | RET17514 | ET17514 | Shaft - 26 Roller | 1 | | | | |
| 32 | RMT1986 | MT1986 | Shaft - 30 Roller | 1 | | | | |
| 33 | R254-78 | JD8188 | Tapered Bearing Cone | 2 | | | | |
| 34 | R254-79 | JD8226 | Cup - Bearing | 2 | | | | |
| | Detail Description: Use R254-79M installation mandrel to properly install race.: | | | | | | | |
| 35 | R3296-15 | N101345 | Locknut - 3/4-16 Nylon Jam | 2 | | | | |
| 36 | R471219 | 471219, 471231, JD7759, JD7798 | Zerk - Grease | 2 | | | | |
| 37 | RET15726 | ET15726, RET15726 | Sleeve - Wear Hardened | 2 | | | | |
| 38 | RET15755 | ET15755 | Seal - Oil | 4 | | | | |
| 39 | R253-122 | 253-122 | Seal | 2 | | | | |





Cutting Unit - Serial up to 030000 Rollers

| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity | | |
|----|--|------------------------------|--------------------------------|------------|-------------------|--|--|
| 40 | R237-54 | U46731, U6731 | O-Ring - Small | 2 | | | |
| 41 | R150661 | | Tube - Threaded Fits R500509 | 1 | | | |
| 41 | R150662 | | Tube - Threaded Grooved Rlr | 1 | | | |
| 41 | R500511 | | Roller End - Threaded 3 | 2 | | | |
| 42 | R150673 | | Washer - 3 Repairable Roller | 0 | | | |
| 43 | R150676 | | Spacer - 2-3/4 Dia x 1-1/4 L | 0 | | | |
| 44 | R150691 | | Screw - Set Nyloc 3/8-16 x 3/8 | 4 | | | |
| 45 | R170714 | E14814 | Fitting - Pressure Relief | 2 | | | |
| 46 | R1503470 | | Seal - Inner Wiper | 2 | | | |
| 47 | R1503230 | | Washer - Thrust Outer Keyed | 2 | | | |
| 48 | R1503471 | | Washer - Thrust SAE660 Bronze | 2 | | | |
| 49 | R150333 | | Washer - Flat Keyed Outer SS | 2 | | | |
| 50 | RET16934 | ET16934 | Shaft - Roller | 1 | | | |
| 51 | R500534 | | Bearing - with Cup | 2 | | | |
| | Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: | | | | | | |
| 53 | R1203831 | | Shaft - Fusion Roller | 1 | | | |
| 55 | R112-5290 | | Bearing - Stainless | 2 | | | |
| 56 | R112-7494 | | Seal | 4 | | | |
| 57 | R114-3745 | | Locknut - Bearing - Stainless | 2 | | | |
| 58 | R302-5 | JD7797, JD7842, JD7844 | Fitting - Grease | 2 | | | |





Cutting Unit - Serial up to 030000 Rollers

| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|----|-----------------|------------------------------|-----------------------|------------|-------------------|
| 59 | R1203841 | | Shaft - Fusion Roller | 1 | |
| 60 | RET15756 | ET15756, MT1739, MT739 | Seal | 2 | |
| 61 | R150676A | | Spacer - 1/8 | 4 | |